

Step-by-Step Instructions

(PRINT this set of instructions to follow every time you refill your cartridge)

Brother LC-75XL Black/Cyan/Magenta/Yellow Extra Large Refillable Cartridges

Unplug, Fill, Re-plug



Picture A

Items needed: gloves, black dye, cyan, magenta, yellow inks, paper towels, black door jams (see picture B and C), review hints & tips and check list. Note: Leave the air vent hole unplugged after refilling and when putting empty refillable cartridges into the printer. The large hole and the large plug is your fill hole. The small hole and the small plug is your air vent hole.

- 1) Remove the cartridge when it is running low or out of ink.
- 2) Place the cartridge upright on its side with the plug facing up as seen in picture A. Remove the large plug at the top of the cartridges. This is your fill hole. Leave the air vent hole plugged until you are done refilling.
- 3) Release through your needle tip the proper color ink. The black cartridge will take black dye ink and up to approximately 114 mls of ink. All colors will take up to approximately 77 mls of ink.

The black cartridge will take up to approximately 114 mls

The color cartridges will take up to approximately 77 mls

4) Put the syringe needle into the fill hole and S-l-o-w-l-y inject ink, leaving a small air space at the top of the cartridge. The cartridges are transparent so there is no problem to see when the cartridges are full of ink.

5) After the cartridge is full of ink, seal the fill hole with the big plug.

6) Leave the Vent Hole unplugged if you are going to put the cartridges into the printer. If you are going to save the filled cartridge for use at a later date then put the Vent Hole Plug back in. The Air Vent Hole Plug is only used for storing the cartridge for later use. When putting the cartridge into the printer be sure to remove the Vent Hole Plug. If you don't do this, the cartridge will not print.

7) Replace the cartridge(s) and run 1 - 3 cleaning cycles as per printer instructions.

Or print the following pages:

<http://www.refills4you.com/support/colorinktest> Color Ink Test

<http://www.refills4you.com/support/blackinktest> Black ink test

How to use the Door Jams

Note: Once after you install the cartridges, you will have to use the door jam to trick the printer to think the door is closed.



Door Jam

1.) Prior to installing the cartridges, remove the cover from the printer and set aside so that it looks like this.



- 2.) Using the Door Jam simply place the end with a plastic boot sticking out into the printer where the old door jam used to be. Note: Look at the original door jam you set aside and notice how it used to be attached to the unit. You will slide the door jam towards the bottom of the printer. The first open space you feel at the bottom, place the door jam there.



- 3.) For best results, take a small sheet of paper and fold into a wedge like the image below and place in between the cartridge and the door jam so that it stays in place. Once you've installed the door jam it should look like the picture below. If the door jam is not placed correctly, you will get a message on your printer to close the cover. Continue locating the correct spot until the messages goes away.



AccuBrite, Inc. is not affiliated with the listed printer manufacturers or their subsidiaries. The use by AccuBrite, Inc. does not imply endorsement by or association with the brand name owners. The listed manufacturers, printers and cartridges are used only for the purpose of showing the compatibility of this AccuBrite, Inc. product. All other trademarks, brand names and logos referenced in or on this product are the property of their respective owners. This material is protected by the copyright laws of the United States and other countries. It is illegal to reproduce these instructions. It may not be reproduced, distributed, or altered in any fashion by any entity (either internal or external to AccuBrite), except in accordance with applicable agreements or contracts of licensing, without the express written consent of AccuBrite, Inc.